

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-501

DESCRIPTION: King Decorative Half Coverlet Fabrication

FINISHED SIZE: Approx. 111"W x 49" L
Drop to be 17.5" from top of mattress.
(Decorative Half Coverlet to fall 1" below box spring)
Standard Mattress size: 76" W x 80" L x 12" H

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to SG-501A for top fabric, SG-501B for lining, SG-501C for banding fabric and SG-501D for inter-liner fabric.
2. Construction: Decorative half coverlet consists of top fabric, lining, contrasting banding fabric, and fully encasing Custom IHG 7361 Inter-liner. Decorative Half Coverlet is fully sewn on all four edges with True Lock stitch serger (no quilt stitching is visible). Edge treatment to be a finished 2" wide band (SG-501C) on both sides of coverlet (folded around edges) with body of coverlet (top fabric, lining, and inter-liner) inserted into banding the full 2" width so that the banding is the same continuous thickness on all edges. Banding should be sewn with 8-9 stitches per inch with the stitch line positioned 1/8" from the inside edge (some variance may occur at bell corners). Two top corners of the decorative half coverlet to be square mitred corners of banding. Two bottom (foot) corners of the decorative half coverlet to be bell-shaped by cutting a radius starting at approximately 17" (both sides) from the 90 degree angle at the corner.
3. Label: Decorative half coverlet to receive a tag with size, washing instructions, and "sewn in USA" attached on the lining side at approximately 25" from top corner on side drop.
4. Decorative Half Coverlet fabrication, fabric, and inter-liner to be of contract quality and suitable for commercial use.
5. Fabric must be pattern matched at any and all seams.
6. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages prior to construction.
7. Refer to drawings for location.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:
4/25/12

REV. NO:
1

SPEC NO:
SG-501

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG-501A (C)**

DESCRIPTION: King Decorative Half Coverlet Top Fabric

PATTERN: Custom Circles
COLOR: #27407
CONTENT: 100% FR Polyester
BASE CLOTH: Tucson with Stain Smart
WEIGHT: 18 oz / lin. yd.
WIDTH: 126"
REPEAT: 27"/27"
RAILROADED: Yes

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-501 and IHG Bedding Preamble for fabrication. Refer to SG-501B (C) for lining fabric, SG-501C (C) for contrast banding fabric, and SG-501D (C) for Inter-liner fabric.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-501A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-501B (C)

DESCRIPTION: King Decorative Half Coverlet lining fabric

PATTERN: Adnan Texture
COLOR: Custom #2029
CONTENT: 100% FR Polyester
BASE CLOTH: Tucson with StainSmart
WEIGHT: 18 oz / lin. yd.
WIDTH: 126"
REPEAT: 0"/0"
RAILROADED: Yes

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-501 and IHG Bedding Preamble for fabrication. Refer to SG-501A (C) for top fabric, SG-501C (C) for contrast banding fabric, and SG-501D (C) for Inter-liner fabric.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. **Manufacturer to ship all excess fabric to property for attic stock.**
8. Fabric must be treated for fire retardancy or meet applicable fire codes.
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-501B (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-501C (C)

DESCRIPTION: Decorative Half Coverlet Contrast Band Fabric

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-501 and IHG Bedding Preamble for fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-501C (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100

AREA: Bedroom

MANUFACTURER:

EE Sewing, Inc.
33155 S. 4320 Rd.
Big Cabin, OK 74332
P: 918-783-5343
F: 918-783-5718

REP FIRM:

SPEC NO: SG-501D

DESCRIPTION: King Decorative Half Coverlet Inter-liner Fabric

NAME: Custom IHG 7361 Quilted Inter-liner

COLOR: White

CONTENT: Top & Bottom Casing Construction: A blend of 70/30 polyester cotton fibers in a 68/37 weave.
Polyester Fill: 5 ounces per 48" x 36" proprietary blend of resin coated polyester fibers.

CONSTRUCTION: Top and bottom casing is quilted with a double variegated box pattern, 7-8 stitches per inch using a lock stitch machine.

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. All components must be of contract quality and suitable for commercial use.
2. Refer to SG-501 and IHG Bedding Preamble for decorative half coverlet fabrication.
3. Products must meet or exceed all applicable state & local codes.
4. Manufacturer to ship all excess fabric to property for attic stock.
5. Fabric must be treated for fire retardancy or meet applicable fire codes.
6. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-501D

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO:

SG – 502

DESCRIPTION:

King Boxspring Cover


FINISHED SIZE:

Approximately 76" x 80 x 12" (W x L x H) typical
(Actual dimensions must be field verified due to size variations of mattresses)

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows. See Staybridge Suite Bedding Preamble for more detail.

NOTES:

1. Refer to SG-502A for decorative boxspring cover fabric (drop fabric).
2. Drops should be approximately 3" longer than actual box spring drop to allow adequate wrap under the boxspring. Top cover to be 50/50 white polyester/cotton decking used in conjunction with 4" wide fabric deck bands out of drop fabric. Polyester/cotton decking to have a 170 thread count min. Bottom Edge Detail: 1" turned lock stitched hem with ½" elastic around all 4 sides of boxspring. Hugger to fit snugly on drop on all four sides of boxspring.
3. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
4. Boxspring construction: Refer to Staybridge Suites Bedding Preamble.
5. Products must meet or exceed all applicable state & local codes.
6. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.
7. Product to be of contract quality and suitable for commercial use.



QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-502

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG-502A (C)**

DESCRIPTION: Fabric at Boxspring Cover

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-502 and Staybridge Suites Bedding Preamble for boxspring cover fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
8/01/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-502A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-503

DESCRIPTION: Queen Decorative Half Coverlet Fabrication

FINISHED SIZE: Approx. 95"W x 49" L
Drop to be 17.5" from top of mattress.
(Decorative Half Coverlet to fall 1" below box spring)
Standard Mattress size: 60" W x 80" L x 12" H

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to SG-503A for top fabric, SG-503B for lining, SG-503C for banding fabric and SG-503D for inter-liner fabric.
2. Construction: Decorative half coverlet consists of top fabric, lining, contrasting banding fabric, and fully encasing Custom IHG 7361 Inter-liner. Decorative Half Coverlet is fully sewn on all four edges with True Lock stitch serger (no quilt stitching is visible). Edge treatment to be a finished 2" wide band (SG-503C) on both sides of coverlet (folded around edges) with body of coverlet (top fabric, lining, and inter-liner) inserted into banding the full 2" width so that the banding is the same continuous thickness on all edges. Banding should be sewn with 8-9 stitches per inch with the stitch line positioned 1/8" from the inside edge (some variance may occur at bell corners). Two top corners of the decorative half coverlet to be square mitred corners of banding. Two bottom (foot) corners of the decorative half coverlet to be bell-shaped by cutting a radius starting at approximately 17" (both sides) from the 90 degree angle at the corner.
3. Label: Decorative half coverlet to receive a tag with size, washing instructions, and "sewn in USA" attached on the lining side at approximately 25" from top corner on side drop.
4. Decorative Half Coverlet fabrication, fabric, and inter-liner to be of contract quality and suitable for commercial use.
5. Fabric must be pattern matched at any and all seams.
6. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages prior to construction.
7. Refer to drawings for location.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:
4/25/12

REV. NO:
1

SPEC NO:
SG-503

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG-503A (C)**

DESCRIPTION: Queen Decorative Half Coverlet Top Fabric

PATTERN: Custom Circles
COLOR: #27407
CONTENT: 100% FR Polyester
BASE CLOTH: Tucson with StainSmart
WEIGHT: 18 oz / lin. yd.
WIDTH: 126"
REPEAT: 27"/27"
RAILROADED: Yes

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-503 and IHG Bedding Preamble for fabrication. Refer to SG-503B (C) for lining fabric, SG-503C (C) for contrast banding fabric, and SG-503D (C) for Inter-liner fabric.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-503A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-503B (C)

DESCRIPTION: Queen Decorative Half Coverlet lining fabric

PATTERN: Adnan Texture
COLOR: Custom #2029
CONTENT: 100% FR Polyester
BASE CLOTH: Tucson with StainSmart
WEIGHT: 18 oz / lin. yd.
WIDTH: 126"
REPEAT: 0"/0"
RAILROADED: Yes

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-503 and IHG Bedding Preamble for fabrication. Refer to SG-503A (C) for top fabric, SG-503C (C) for contrast banding fabric, and SG-501D (C) for Inter-liner fabric.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-503B (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-503C (C)

DESCRIPTION: Decorative Half Coverlet Contrast Band Fabric

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-503 and IHG Bedding Preamble for fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-503C (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100

AREA: Bedroom

MANUFACTURER:

EE Sewing, Inc.
33155 S. 4320 Rd.
Big Cabin, OK 74332
P: 918-783-5343
F: 918-783-5718

REP FIRM:

SPEC NO: SG-503D

DESCRIPTION: Queen Decorative Half Coverlet Inter-liner Fabric

NAME: Custom IHG 7361 Quilted Inter-liner

COLOR: White

CONTENT: Top & Bottom Casing Construction: A blend of 70/30 polyester cotton fibers in a 68/37 weave.
Polyester Fill: 5 ounces per 48" x 36" proprietary blend of resin coated polyester fibers.

CONSTRUCTION: Top and bottom casing is quilted with a double variegated box pattern, 7-8 stitches per inch using a lock stitch machine.

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. All components must be of contract quality and suitable for commercial use.
2. Refer to SG-503 and IHG Bedding Preamble for decorative half coverlet fabrication.
3. Products must meet or exceed all applicable state & local codes.
4. Manufacturer to ship all excess fabric to property for attic stock.
5. Fabric must be treated for fire retardancy or meet applicable fire codes.
6. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-503D

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO: SG – 504


DESCRIPTION: Queen Boxspring Cover

**FINISHED SIZE: Approximately 60" x 80 x 12" (W x L x H) typical
(Actual dimensions must be field verified due to size variations of mattresses)**

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows. See Staybridge Suite Bedding Preamble for more detail.

NOTES:

1. Refer to SG-504A for decorative boxspring cover fabric (drop fabric).
2. Product to be of contract quality and suitable for commercial use.
3. Products must meet or exceed all applicable state & local codes.
4. Drops should be approximately 3" longer than actual box spring drop to allow adequate wrap under the boxspring. Top cover to be 50/50 white polyester/cotton decking used in conjunction with 4" wide fabric deck bands out of drop fabric. Polyester/cotton decking to have a 170 thread count min. Bottom Edge Detail: 1" turned lock stitched hem with ½" elastic around all 4 sides of boxspring. Hugger to fit snugly on drop on all four sides of boxspring.
5. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
6. Boxspring construction: Refer to Staybridge Suites Bedding Preamble.
7. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-504

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-504A (C)

DESCRIPTION: Fabric at Queen Boxspring Cover

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-504 and Staybridge Suites Bedding Preamble for boxspring cover fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
8/01/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-504A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO:

SG – 505

DESCRIPTION:

Accent Throw Pillow at Bed (same for all bed sizes)

MODEL / STYLE:

Custom Accent Pillow with Faux Flange


DIMENSIONS:

Body of Pillow: 36"W x 10.5"H, plus 2" wide faux flange
Overall: 40"W x 14.5"H

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows. See Staybridge Suites Bedding Preamble for more detail.

NOTES:

1. Refer to image below for design intent. Refer to SG-505A for pillow/flange fabric.
2. Pillow and fabrication to be of contract quality and suitable for commercial use.
3. Products must meet or exceed all applicable state & local codes.
4. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.
5. Custom accent pillow to have 2" wide faux flange on all sides.
6. Fabricator to confirm fabric yardages.
7. Fabric must be pattern matched at all seams.
8. Insert: 11.5 oz polyester fiber in 50% poly / 50% cotton cover (**pillow to be fully stuffed**).
9. Full-length synthetic zipper closure to be hidden in body edge length.
10. Refer to plans for location.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

6/22/12, 8/7/12

REV. NO:

2

SPEC NO:

SG-505

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG – 505A (C)**

DESCRIPTION: Fabric at Accent Throw Pillow

PATTERN: Custom Scotty
COLOR: Multi
BASECLOTH: Advantage
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 14.2" Vertical, 0" Horizontal
RAILROADED: Yes

YARDAGE: Approximately .55 yard (must be verified by manufacturer)

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows.

NOTES:

1. Refer to image below for fabric.
2. **Fabric to be railroaded; stripes to run vertically.**
3. Refer to SG-505 for throw pillow specification.
4. Fabric must be of contract quality and suitable for commercial use.
5. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
6. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701 and UFAC Class I.
7. Products must meet or exceed all applicable state & local codes.
8. Fabric must be treated for fire retardancy or meet applicable fire codes.
9. **Manufacturer to ship all excess fabric to property for attic stock.**
10. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
8/01/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-505A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG – 506

DESCRIPTION: Double Decorative Half Coverlet Fabrication

FINISHED SIZE: Approx. 89"W x 49" L
Drop to be 17.5" from top of mattress.
(Decorative Half Coverlet to fall 1" below box spring)
Standard Mattress size: 54" W x 80" L x 12" H

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to SG-506A for top fabric, SG-506B for lining, SG-506C for banding fabric and SG-506D for inter-liner fabric.
2. Construction: Decorative half coverlet consists of top fabric, lining, contrasting banding fabric, and fully encasing Custom IHG 7361 Inter-liner. Decorative Half Coverlet is fully sewn on all four edges with True Lock stitch serger (no quilt stitching is visible). Edge treatment to be a finished 2" wide band (SG-506C) on both sides of coverlet (folded around edges) with body of coverlet (top fabric, lining, and inter-liner) inserted into banding the full 2" width so that the banding is the same continuous thickness on all edges. Banding should be sewn with 8-9 stitches per inch with the stitch line positioned 1/8" from the inside edge (some variance may occur at bell corners). Two top corners of the decorative half coverlet to be square mitred corners of banding. Two bottom (foot) corners of the decorative half coverlet to be bell-shaped by cutting a radius starting at approximately 17" (both sides) from the 90 degree angle at the corner.
3. Label: Decorative half coverlet to receive a tag with size, washing instructions, and "sewn in USA" attached on the lining side at approximately 25" from top corner on side drop.
4. Decorative Half Coverlet fabrication, fabric, and inter-liner to be of contract quality and suitable for commercial use.
5. Fabric must be pattern matched at any and all seams.
6. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages prior to construction.
7. Refer to drawings for location.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

1/23/12

REVISION DATE:

4/25/12

REV. NO:

1

SPEC NO:

SG-506

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG-506A (C)**

DESCRIPTION: Double Decorative Half Coverlet Top Fabric

PATTERN: Custom Circles
COLOR: #27407
CONTENT: 100% FR Polyester
BASE CLOTH: Tucson with StainSmart
WEIGHT: 18 oz / lin. yd.
WIDTH: 126"
REPEAT: 27"/27"
RAILROADED: Yes

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-506 and IHG Bedding Preamble for fabrication. Refer to SG-506B (C) for lining fabric, SG-506C (C) for contrast banding fabric, and SG-506D (C) for Inter-liner fabric.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD **UNIT COST:** \$ TBD **TOTAL COST:** \$ TBD

ISSUE DATE: 1/23/12 **REVISION DATE:** **REV. NO:** **SPEC NO:** **SG-506A (C)**

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-506B (C)

DESCRIPTION: Double Decorative Half Coverlet lining fabric

PATTERN: Adnan Texture
COLOR: Custom #2029
CONTENT: 100% FR Polyester
BASE CLOTH: Tucson with StainSmart
WEIGHT: 18 oz / lin. yd.
WIDTH: 126"
REPEAT: 0"/0"
RAILROADED: Yes

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image for fabric.
2. Fabric must be of contract quality and suitable for commercial use.
3. Refer to SG-506 and IHG Bedding Preamble for fabrication. Refer to SG-506A (C) for top fabric, SG-506C (C) for contrast banding fabric, and SG-506D (C) for Inter-liner fabric.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-506B (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-506C (C)

DESCRIPTION: Decorative Half Coverlet Contrast Band Fabric

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-506 and Staybridge Suites Bedding Preamble for fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-506C (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

EE Sewing, Inc.
33155 S. 4320 Rd.
Big Cabin, OK 74332
P: 918-783-5343
F: 918-783-5718

REP FIRM:

SPEC NO: SG-506D

DESCRIPTION: King Decorative Half Coverlet Inter-liner Fabric

NAME: Custom IHG 7361 Quilted Inter-liner

COLOR: White

CONTENT: Top & Bottom Casing Construction: A blend of 70/30 polyester cotton fibers in a 68/37 weave.
Polyester Fill: 5 ounces per 48" x 36" proprietary blend of resin coated polyester fibers.

CONSTRUCTION: Top and bottom casing is quilted with a double variegated box pattern, 7-8 stitches per inch using a lock stitch machine.

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. All components must be of contract quality and suitable for commercial use.
2. Refer to SG-506 and IHG Bedding Preamble for decorative half coverlet fabrication.
3. Products must meet or exceed all applicable state & local codes.
4. Manufacturer to ship all excess fabric to property for attic stock.
5. Fabric must be treated for fire retardancy or meet applicable fire codes.
6. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
1/23/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-506D

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO: SG – 507


DESCRIPTION: Double Boxspring Cover

FINISHED SIZE: Approximately 53" x 80 x 12" (W x L x H) typical
(Actual dimensions must be field verified due to size variations of mattresses)

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows. See Staybridge Suite Bedding Preamble for more detail.

NOTES:

1. Refer to SG-507A for decorative boxspring cover fabric (drop fabric).
2. Drops should be approximately 3" longer than actual box spring drop to allow adequate wrap under the boxspring. Top cover to be 50/50 white polyester/cotton decking used in conjunction with 4" wide fabric deck bands out of drop fabric. Polyester/cotton decking to have a 170 thread count min. Bottom Edge Detail: 1" turned lock stitched hem with ½" elastic around all 4 sides of boxspring. Hugger to fit snugly on drop on all four sides of boxspring.
3. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
4. Boxspring construction: Refer to Staybridge Suites Bedding Preamble.
5. Products must meet or exceed all applicable state & local codes.
6. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.
7. Product to be of contract quality and suitable for commercial use.



QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-507

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-507A (C)

DESCRIPTION: Fabric at Double Boxspring Cover

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-507 and Staybridge Suites Bedding Preamble for boxspring cover fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, dimensions, materials required for installation, and confirm fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
8/01/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-507A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Sealy, Inc.
Attn: Chad Gunderson
P: 678-388-9529
F: 678-559-0407
E: sealyinfo@chadgunderson.com

REP FIRM:

SPEC NO: **SG – 509**

DESCRIPTION: Queen Bedset

MODEL NO: Sealy Posturepedic “Affinity 1500 Plush”

DIMENSIONS: 60" x 80" x 12"

DROPS: Mattress Only: 12"
Boxspring: 9"
Bed Base: 7-1/2" (typical)
Overall: 28-1/2" – Floor to Mattress Crown (including bed base)

(Dimensions are +/- 1/2")

BOX SPRING: Motion Stabilizzer™

INSULATOR: Motion Suppressing Insulator™

UPHOLSTERY: 2" Pressure Relief Inlay with SuperSoft SealyFoam®
1" SuperSoft SealyFoam

QUILTED PANEL: FlameGuard™ Rayon Fiber
1-1/2" x 1/2" Convoluted SuperSoft SealyFoam®

TICKING: Designer Knit

TURN LABELS: N/A (Non-flip mattress)

COIL DENSITY: 736 PostureTech® (Queen coil count)

INNERSPRING SYSTEM: Posturetech Sense and Respond Coil
Heavy 14 Gauge Steel
Double tempered steel
UniCased™ Edge & Base (with Support Channels)

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows:

NOTES:

1. Refer to image below for bedset.
2. Products must meet or exceed all applicable state & local codes.
3. Product to be of contract quality and suitable for commercial use.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-509

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

AREA: Bedroom



AFFINITY 1500

PLUSH

■ SPECIFICATIONS

StayTrue™ Quilt Top:

- FlameGuard™ Rayon Fiber
- 1½" x ½" Convoluted SuperSoft SealyFoam®

StayTrue™ Comfort Layers:

- 2" Pressure Relief Inlay with SuperSoft SealyFoam®
- 1" SuperSoft SealyFoam
- Motion Suppressing Insulator™

Innerspring:

- 736 PostureTech® Unit
- 5 turn, 14 gauge coils

Edge System:

- UniCased™

Innerspring Base:

- 1" UniCased Base with Support Channels

Foundation:

- Motion Stabilizer™*

Warranty:

- 10/10 Non-prorated

■ DROP MEASUREMENTS (HEIGHT)

Bed Frame**	7¼"
Foundation***	9"
Mattress Only (bottom to crown)	12"
Set including frame (floor to mattress crown)	28¾"

- * Shock Absorber® option available
- ** Standard bed frame height
- *** All foundations also available in 5½" and 7" heights

This Sealy Posturepedic® sleep system provides enhanced comfort and pressure relief with a soft, plush top.

■ ADDITIONAL FEATURES



SuperSoft Pressure Relief Inlay
 This cradling inlay knocks out pressure where weight is concentrated.



UniCased™ Edge
 Our coil-inspired edge support system ensures a sturdy perimeter and uniform comfort across the bed.



global hospitality™

Better sleep. Better business.™

www.sealyhospitality.com
 800.707.3259

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
 10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-509

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Sealy, Inc.
Attn: Chad Gunderson
P: 678-388-9529
F: 678-559-0407
E: sealyinfo@chadgunderson.com

REP FIRM:

SPEC NO: SG – 510

DESCRIPTION: Double Bedset

MODEL NO: Sealy Posturepedic “Affinity 1500 Plush”

DIMENSIONS: 53" x 80" x 12"

DROPS: Mattress Only: 12"
Boxspring: 9"
Bed Base: 7-1/2" (typical)
Overall: 28-1/2" – Floor to Mattress Crown (including bed base)

(Dimensions are +/- 1/2")

BOX SPRING: Motion Stabilizzer™

INSULATOR: Motion Suppressing Insulator™

**UPHOLSTERY: 2" Pressure Relief Inlay with SuperSoft SealyFoam®
1" SuperSoft SealyFoam**

**QUILTED PANEL: FlameGuard™ Rayon Fiber
1-1/2" x 1/2" Convoluted SuperSoft SealyFoam®**

TICKING: Designer Knit
TURN LABELS: N/A (Non-flip mattress)
COIL DENSITY: 736 PostureTech® (Queen coil count)

**INNERSPRING SYSTEM: Posturetech Sense and Respond Coil
Heavy 14 Gauge Steel
Double tempered steel
UniCased™ Edge & Base (with Support Channels)**

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows:

NOTES:

1. Refer to image below for bedset.
2. Products must meet or exceed all applicable state & local codes.
3. Product to be of contract quality and suitable for commercial use.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-510

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

AREA: Bedroom



AFFINITY 1500

PLUSH

■ SPECIFICATIONS

StayTrue™ Quilt Top:

- FlameGuard™ Rayon Fiber
- 1½" x ½" Convoluted SuperSoft SealyFoam®

StayTrue™ Comfort Layers:

- 2" Pressure Relief Inlay with SuperSoft SealyFoam®
- 1" SuperSoft SealyFoam
- Motion Suppressing Insulator™

Innerspring:

- 736 PostureTech® Unit
- 5 turn, 14 gauge coils

Edge System:

- UniCased™

Innerspring Base:

- 1" UniCased Base with Support Channels

Foundation:

- Motion Stabilizer™*

Warranty:

- 10/10 Non-prorated

■ DROP MEASUREMENTS (HEIGHT)

Bed Frame**	7¼"
Foundation***	9"
Mattress Only (bottom to crown)	12"
Set including frame (floor to mattress crown)	28¾"

* Shock Absorber® option available

** Standard bed frame height

*** All foundations also available in 5½" and 7" heights

This Sealy Posturepedic® sleep system provides enhanced comfort and pressure relief with a soft, plush top.

■ ADDITIONAL FEATURES



SuperSoft Pressure Relief Inlay

This cradling inlay knocks out pressure where weight is concentrated.



UniCased™ Edge

Our coil-inspired edge support system ensures a sturdy perimeter and uniform comfort across the bed.



global hospitality™

Better sleep. Better business.™

www.sealyhospitality.com
 800.707.3259

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
 10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-510

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Sealy, Inc.
Attn: Chad Gunderson
P: 678-388-9529
F: 678-559-0407
E: sealyinfo@chadgunderson.com

REP FIRM:

SPEC NO: SG – 511

DESCRIPTION: King Bedset

MODEL NO: Sealy Posturepedic “Affinity 1500 Plush”

DIMENSIONS: 76" x 80" x 12"

DROPS: Mattress Only: 12"
Boxspring: 9"
Bed Base: 7-1/2" (typical)
Overall: 28-1/2" – Floor to Mattress Crown (including bed base)

(Dimensions are +/- 1/2")

BOX SPRING: Motion Stabilizzer™

INSULATOR: Motion Suppressing Insulator™

**UPHOLSTERY: 2" Pressure Relief Inlay with SuperSoft SealyFoam®
1" SuperSoft SealyFoam**

**QUILTED PANEL: FlameGuard™ Rayon Fiber
1-1/2" x 1/2" Convoluted SuperSoft SealyFoam®**

TICKING: Designer Knit
TURN LABELS: N/A (Non-flip mattress)
COIL DENSITY: 736 PostureTech® (Queen coil count)

**INNERSPRING SYSTEM: Posturetech Sense and Respond Coil
Heavy 14 Gauge Steel
Double tempered steel
UniCased™ Edge & Base (with Support Channels)**

Fabrication to be in accordance with IHG standards as stated in the FF&E Construction and Specification Guidelines and as follows:

NOTES:

1. Refer to image below for bedset.
2. Products must meet or exceed all applicable state & local codes.
3. Product to be of contract quality and suitable for commercial use.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-511

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

AREA: Bedroom



AFFINITY 1500

PLUSH

■ SPECIFICATIONS

StayTrue™ Quilt Top:

- FlameGuard™ Rayon Fiber
- 1½" x ½" Convuluted SuperSoft SealyFoam®

StayTrue™ Comfort Layers:

- 2" Pressure Relief Inlay with SuperSoft SealyFoam®
- 1" SuperSoft SealyFoam
- Motion Suppressing Insulator™

Innerspring:

- 736 PostureTech® Unit
- 5 turn, 14 gauge coils

Edge System:

- UniCased™

Innerspring Base:

- 1" UniCased Base with Support Channels

Foundation:

- Motion Stabilizer™*

Warranty:

- 10/10 Non-prorated

■ DROP MEASUREMENTS (HEIGHT)

Bed Frame**	7¼"
Foundation***	9"
Mattress Only (bottom to crown)	12"
Set including frame (floor to mattress crown)	28¾"

- * Shock Abzorb® option available
- ** Standard bed frame height
- *** All foundations also available in 5½" and 7" heights

This Sealy Posturepedic® sleep system provides enhanced comfort and pressure relief with a soft, plush top.

■ ADDITIONAL FEATURES



SuperSoft Pressure Relief Inlay
 This cradling inlay knocks out pressure where weight is concentrated.



UniCased™ Edge
 Our coil-inspired edge support system ensures a sturdy perimeter and uniform comfort across the bed.



global hospitality™

Better sleep. Better business.™

www.sealyhospitality.com
 800.707.3259

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
 10/15/11

REVISION DATE:

REV. NO:

SPEC NO:

SG-511

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO:

SG-512

DESCRIPTION:

King Bed Skirt Fabrication

Note: Bedskirts are to be used in conjunction with open metal bed frames in ADA rooms and in existing IHG properties going through the Brand Bedding Refresh. For new hotels or hotels going through a PIP or renovation, Bed Skirts are to be used only in ADA rooms with the required bed frame. All other beds will require the specified Bed Box and Box Spring Cover. July 2012

FINISHED SIZE:

Approximately 76" x 80 x 16" (W x L x H) typical
(Actual dimensions must be field verified due to size variations of box springs.)

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to SG-512A for face fabric.
2. Construction Style: Tailored bed skirt without pleats.
3. Lining: White FR (to meet current NFPA 701) 100% polyester continuous filament material.
4. Decking: Fabric to be 50/50 Polycotton Blend, color: white. Include 3" wide platform strips of face fabric at edge of platform decking.
5. Corners: Two corners to be open with false inverted pleat.
6. Bottom edge (hem) of bed skirt to be 1/2" max above top of finished floor surface. Note: Fabricator is responsible for ensuring the skirt is sized for the installed box springs so the hem does not drag on the floor surface. Ideally the hem should barely touch the floor surface.
7. Fabric must be pattern matched at any and all seams.
8. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages prior to construction.
9. Refer to drawings for location.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
7/11/12

REVISION DATE:

REV. NO:

SPEC NO:
SG-512

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: SG-512A (C)

DESCRIPTION: King Bed Skirt Fabric

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-512 and IHG Bedding Preamble for fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
7/11/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-512A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO:

SG-513

DESCRIPTION:

Queen Bed Skirt Fabrication

Note: Bedskirts are to be used in conjunction with open metal bed frames in ADA rooms and in existing IHG properties going through the Brand Bedding Refresh. For new hotels or hotels going through a PIP or renovation, Bed Skirts are to be used only in ADA rooms with the required bed frame. All other beds will require the specified Bed Box and Box Spring Cover. July 2012

FINISHED SIZE:

Approximately 60" x 80 x 16" (W x L x H) typical
(Actual dimensions must be field verified due to size variations of box springs.)

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to SG-513A for face fabric.
2. Construction Style: Tailored bed skirt without pleats.
3. Lining: White FR (to meet current NFPA 701) 100% polyester continuous filament material.
4. Decking: Fabric to be 50/50 Polycotton Blend, color: white. Include 3" wide platform strips of face fabric at edge of platform decking.
5. Corners: Two corners to be open with false inverted pleat.
6. Bottom edge (hem) of bed skirt to be ½" max above top of finished floor surface. Note: Fabricator is responsible for ensuring the skirt is sized for the installed box springs so the hem does not drag on the floor surface. Ideally the hem should barely touch the floor surface.
7. Fabric must be pattern matched at any and all seams.
8. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages prior to construction.
9. Refer to drawings for location.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:

7/11/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-513

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG-513A (C)**

DESCRIPTION: Queen Bed Skirt Fabric

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-513 and IHG Bedding Preamble for fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
7/11/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-513A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

Staybridge Suites – Standardized Room Decor
Vista, Spice, Chocolate, Sage Schemes – Guestroom

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabriquilt
Attn: Barry Oltsik
901 East 14th Avenue
North Kansas City, MO 64116
P: 816-421-2000
F: 816-471-2853
E: barry@fabri-quilt.com

REP FIRM:

SPEC NO: SG-514

DESCRIPTION: Double Bed Skirt Fabrication

Note: Bedskirts are to be used in conjunction with open metal bed frames in ADA rooms and in existing IHG properties going through the Brand Bedding Refresh. For new hotels or hotels going through a PIP or renovation, Bed Skirts are to be used only in ADA rooms with the required bed frame. All other beds will require the specified Bed Box and Box Spring Cover. July 2012

FINISHED SIZE: Approximately 54" x 80 x 16" (W x L x H) typical
(Actual dimensions must be field verified due to size variations of box springs.)

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to SG-514A for face fabric.
2. Construction Style: Tailored bed skirt without pleats.
3. Lining: White FR (to meet current NFPA 701) 100% polyester continuous filament material.
4. Decking: Fabric to be 50/50 Polycotton Blend, color: white. Include 3" wide platform strips of face fabric at edge of platform decking.
5. Corners: Two corners to be open with false inverted pleat.
6. Bottom edge (hem) of bed skirt to be ½" max above top of finished floor surface. Note: Fabricator is responsible for ensuring the skirt is sized for the installed box springs so the hem does not drag on the floor surface. Ideally the hem should barely touch the floor surface.
7. Fabric must be pattern matched at any and all seams.
8. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages prior to construction.
9. Refer to drawings for location.

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
7/11/12

REVISION DATE:

REV. NO:

SPEC NO:
SG-514

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.

**Staybridge Suites – Standardized Room Decor
Refreshed Chocolate Scheme – Guestroom**

InterContinental Hotels Group

Design & Construction
Three Ravinia Drive, Suite 100
Atlanta, GA 30346

AREA: Bedroom

MANUFACTURER:

Fabricut
Attn: Elizabeth Hassell
9303 East 46th Street
Tulsa, OK 74145
P: 800-999-5005 x 6314
F: 918-665-1177
E: elizabeth.hassell@fabricut.com

REP FIRM:

Cindy Royals
P: 770-792-7156
E: Cindy.Royals@Fabricut.com

SPEC NO: **SG-514A (C)**

DESCRIPTION: Double Bed Skirt Fabric

PATTERN: Topaz
COLOR: Jade
CONTENT: 100% FR Polyester
WIDTH: 54"
REPEAT: 0"/0"
RAILROADED: No

Fabrication to be in accordance with IHG Brand Standards, IHG Bedding Preambles, and as follows:

NOTES:

1. Refer to image below for fabric.
2. Refer to SG-514 and IHG Bedding Preamble for fabrication.
3. Fabric must be of contract quality and suitable for commercial use.
4. Fabricator to verify all site conditions, bed dimensions, materials required, and fabric yardages.
5. Per manufacturer, fabric meets or exceeds the following requirements: NFPA 701.
6. Products must meet or exceed all applicable state & local codes.
7. Fabric must be treated for fire retardancy or meet applicable fire codes.
8. **Manufacturer to ship all excess fabric to property for attic stock.**
9. No products shall infringe on any third party patents, copyrights, trademarks or other intellectual property rights.



Not to Scale / Not for Color / Design Intent Only

QUANTITY: TBD

UNIT COST: \$ TBD

TOTAL COST: \$ TBD

ISSUE DATE:
7/11/12

REVISION DATE:

REV. NO:

SPEC NO:

SG-514A (C)

All orders must be marked as specified by IHG. All installed fabrics, upholstery, carpet, wallcovering, and other finish materials must meet local fire codes and regulations. Manufacturer must provide flame certificate to owner/purchaser at time order is shipped. Fabricator and/or installer must confirm the exact quantities required. All substitutions must be approved by IHG prior to ordering. Manufacturers must provide maintenance instructions. All shop drawings, finish samples, artwork and/or strike-offs must be submitted to IHG, for approval prior to production.