

Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400**

Project #: **23359.007 7Grow**

Item Description: **Window Treatment @ Guest Rooms (PTAC)**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: ea

Manufacturer: To Bid

Source: To Bid

Address:

Address:

Phone:

Phone:

Fax:

Fax:

Contact:

Contact:

E-mail:


E-mail:

Web:

Web:

Description: Custom window treatment consisting of a soft valance lined with blackout fabric, (2) fixed full length black-out side panels, operable partial length blackout overdrapery/shade panels on their own track and operable partial length sheers on their own track. All operable drapery shades and sheers to be split traversing, center draw.

Opening Quantity: Varies
 Ceiling Height: 9'-0" or 8'-0"
 Opening Size: 60" W x 50" H
 Black-out Style Name/ #: Blackout Lined. Refer to GF-400.5
 Mounting Method: Ceiling Mounted
 Hardware: Hand traverse track system
 Top Treatment Style: Inverted Box Pleat Valance
 Top Treatment Dimensions: 90"W. x 14"H., 14" return
 Panels Style: Pinch Pleat
 Panels Fixed or Operative: Fixed
 Panels Fullness: 225%
 Panels Dimensions: 24" wide, each panel
 Panels Finished Length: 1/2" from finished floor
 Sheers Style: Pinch pleat
 Sheers Fullness: 225%
 Sheers Dimensions: 90"W.
 Sheers Finished Length: 1/2" from top of PTAC unit
 Shade Style: Pinch pleat drape, 200% full
 Shade Dimensions: 90"W. x 1/2" from top of PTAC



COM/COL: VALANCE: GF-400.1; P. Kaufmann Contract; Pattern: Bhutan; Sepia; 18% FR Polyester, 82% Polyester; ; Width: 54"; Fire Rating: Passes NFPA 701;
 OVERDRAPE/SIDE PANELS: GF-400.2; Fabricut; Pattern: Division; Ecru; 100% Polyester; Repeat: V-3/8"; Width: 59"; Fire Rating: Passes NFPA 701;
 Durability: 30,000 double rubs;



Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400**

Project #: **23359.007 7Grow**

Item Description: **Window Treatment @ Guest Rooms (PTAC)**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Item Quantity: ea

Manufacturer: To Bid

Source: To Bid

BLACKOUT PANELS: GF-400.3; Standard Textile Company; Pattern: 01-09; Palisade; Biscotti; 70% Polyester, 30% Cotton; Repeat: 1" Vert, 1" Horiz; Width: 54"; Fire Rating: Passes NFPA 701;
 SHEERS: GF-400.4; P. Kaufmann Contract; Pattern: NFP Rhythmics; 001 Porcelain; 100% Polyester; Repeat: V-10.5", H-14.5"; Width: 57"; Fire Rating: Passes NFPA 701;
 BLACKOUT LINING: GF-400.5; Roc-Lon; Pattern: Budget Blackout FR; Ivory; 70% Polyester / 30% Cotton; ; Width: 54"; Backing: White Aerocelluar Foam; Fire Rating: Passes NFPA 701

Notes: (2) panels make up one unit each of; side panels, black-out drapery and sheers.

Approved Vendors:

Quiltcraft Industires, 1230 East Ledbetter, Dallas, TX 75216
 P: (214) 376-1841, F: (214) 376-1852
 Contact: David Pearson

SK Textile, PO Box 37851 Cincinnati, OH 45222
 P: (800) 888-9112 x 7050 F: (888) 415-0854
 Contact: Joshua Frankel

Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input checked="" type="checkbox"/> Finish Sample	<input type="checkbox"/> Cutting	<input checked="" type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input type="checkbox"/> Flame Certificate
--	-------------------------------------	---	----------------------------------	---	------------------------------------	--

Instructions:

- Provide covered weight in hem for overdrapery and sheer fabrication. All metal parts must be corrosion proof.
- Drapery to be split traversing and shall pull from the center of the window.
- Drapery to be fully lined with sewn-in blackout lining. Lining must be flame retardant and meet all applicable codes.
- All quantity requirements must be verified by on-site measurements taken prior to fabrication.
- Provide Kirsch Architrac hand traverse track system for both drapery and sheer. Black-out drapes and sheers must be on two separate tracks.
- Provide all hardware for complete installation. All carrier hardware to be of ball bearing construction. Overlap at the lead carrier.
- All drapery and sheer to have clear plastic baton with finished end mounted on the face (room side) of drapery. NOTE: Reinforcement for baton to be sewn into drapery heading.
- Drapery Fabricator is responsible for the size and quantity of all hardware to be used.
- All stitching must be overlapped and joined with safety stitching.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces and Hilton Garden Inn standards.
- Draperies must meet Class 1 ASTM E-84 and NFPA 701 Small and Large Scale as required by local and state fire codes for use in hotels.

Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400.1**

Project #: **23359.007 7Grow**

Item Description: **Fabric @ Guest Room Valance**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: P. Kaufmann Contract
Address: 18403 Springwood Drive
Grayslake IL 60030 United States of America
Phone: (847) 543-8953 800# : (212) 292-2200
Fax: (847) 543-8954 Other: (847) 910-2164
Contact: Leonardo Luciano
E-mail: roadrep@comcast.net
Web: <http://www.pkcontract.com/>

Source: P. Kaufmann Contract
Address: 18403 West Springwood Drive
Grayslake hide 60030-hide hide
Phone:
Fax: 847-543-8954 Mobile: (847) 910-2164
Contact: Leonardo Luciano
E-mail: roadrep@comcast.net
Web: <http://www.pkcontract.com/>

Pattern Name: Bhutan
Color: Sepia
Width: 54"
Content: 18% FR Polyester, 82% Polyester
Fire Rating: Passes NFPA 701



Required Item(s) for Designer Approval Prior to Fabrication:

Seaming Diagram Strike-Off Finish Sample Cutting Shop Dwgs Prototype Flame Certificate

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces & Hilton Garden Inn Standards.



Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400.2**

Project #: **23359.007 7Grow**

Item Description: **Overdraped Fabric @ Guest Room Drapery Side Panels**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: Fabricut

Source: Fabricut

Address: 9303 East 46th St.
Tulsa OK 74145-

Address: 670 South Grand Avenue
Ft. Thomas KY 41075 United States of America

Phone: (800) 664-5611

Phone: (859) 441-3890 800#: (800) 531-1110
x2844

Fax: (800) 835-9240

Fax: (859) 441-3842

Contact: Jennifer Polay

Contact: Jill Castanien, Contract Specialist

E-mail: jennifer.polay@fabricut.com

E-mail: jcastanien@3z.net

Web: http://www.fabricutcontract.com

Web: http://www.fabricut.com/

Pattern Name: Division

Color: Ecru

Width: 59"

Repeat: V-3/8"

Content: 100% Polyester

Durability: 30,000 double rubs

Fire Rating: Passes NFPA 701

Notes: Side panel fabric to be lined with GF-400.5.



Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input type="checkbox"/> Finish Sample	<input checked="" type="checkbox"/> Cutting	<input type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input checked="" type="checkbox"/> Flame Certificate
--	-------------------------------------	--	---	------------------------------------	------------------------------------	---

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces & Hilton Garden Inn Standards.



Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400.3**

Project #: **23359.007 7Grow**

Item Description: **Fabric @ Guest Room Operable Blackout Drapes**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: Standard Textile Company

Source: SK Textile

Address: One Knollcrest Drive
Cincinnati OH 45237 United States of America

Address: One Knollcrest Drive
Cincinnati OH 45237-

Phone: (513) 722-8330 800# : (513) 761-9255

Phone: 800#: (800) 888-9112

Fax: (513) 679-3589 Other: (513) 276-3400

Fax:

Contact: Glen Nielsen, Sales Consultant, Decorative Products Division

Contact: Joshua Frankel

E-mail: gnielsen@standardtextile.com

E-mail: jfrankel@sktextile.com

Web: http://www.standardtextile.com

Web: sktextile.com

Pattern Number: 01-09

Pattern Name: Palisade

Color: Biscotti

Width: 54"

Repeat: 1" Vert, 1" Horiz

Content: 70% Polyester, 30% Cotton

Fire Rating: Passes NFPA 701



Required Item(s) for Designer Approval Prior to Fabrication:

Seaming Diagram Strike-Off Finish Sample Cutting Shop Dwgs Prototype Flame Certificate

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.

Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400.4**

Project #: **23359.007 7Grow**

Item Description: **Fabric @ Guest Room Operable Sheers**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: P. Kaufmann Contract
 Address: 18403 Springwood Drive
 Grayslake IL 60030 United States of America
 Phone: (847) 543-8953 800# : (212) 292-2200
 Fax: (847) 543-8954 Other: (847) 910-2164
 Contact: Leonardo Luciano
 E-mail: roadrep@comcast.net
 Web: <http://www.pkcontract.com/>

Source: P. Kaufmann Contract
 Address: 18403 West Springwood Drive
 Grayslake hide 60030-hide hide
 Phone:
 Fax: 847-543-8954 Mobile: (847) 910-2164
 Contact: Leonardo Luciano
 E-mail: roadrep@comcast.net
 Web: <http://www.pkcontract.com/>

Pattern Name: NFP Rhythmics
 Color: 001 Porcelain
 Width: 57"
 Repeat: V-10.5", H-14.5"
 Content: 100% Polyester
 Fire Rating: Passes NFPA 701



Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input type="checkbox"/> Finish Sample	<input checked="" type="checkbox"/> Cutting	<input type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input checked="" type="checkbox"/> Flame Certificate
--	-------------------------------------	--	---	------------------------------------	------------------------------------	---

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces & Hilton Garden Inn Standards.



Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-400.5**

Project #: **23359.007 7Grow**

Item Description: **Black Out Fabric @ Drapery Side Panel**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: Roc-Lon

Source: Roc-Lon

Address: Rockland Industries, Inc.
261 Fifth Avenue
New York NY 10016-

Address: 261 Fifth Avenue
New York NY 10016-

Phone: (212) 679-9220 800# : (800) 876-2566

Phone: (763) 425-0561

Fax: (410) 522-2545

Fax:

Contact:

Contact: Pete Swenson

E-mail:

E-mail:

Web: www.roc-lon.com

Web:

Pattern Name: Budget Blackout FR
Color: Ivory
Width: 54"
Content: 70% Polyester / 30% Cotton
Fire Rating: Passes NFPA 701
Backing: White Aerocellular Foam



Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input type="checkbox"/> Finish Sample	<input checked="" type="checkbox"/> Cutting	<input type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input checked="" type="checkbox"/> Flame Certificate
--	-------------------------------------	--	---	------------------------------------	------------------------------------	---

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials and methods of construction must comply with all local fire and safety codes for use in hotels and other public spaces, and Hilton Garden Inn Standards.

Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-401**

Project #: **23359.007 7Grow**

Item Description: **Window Treatment @ Guest Rooms**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: ea

Manufacturer: To Bid

Source: To Bid

Address:

Address:

Phone:

Phone:

Fax:

Fax:

Contact:

Contact:

E-mail:


E-mail:

Web:

Web:

Description: Custom window treatment consisting of a soft valance lined with blackout fabric, (2) fixed full length black-out side panels, operable full length blackout overdrapery/shade panels on their own track and operable full length sheers on their own track. All operable drapery shades and sheers to be split traversing, center draw.

Opening Quantity: Varies
 Ceiling Height: Varies, 8'-0" or 9'-0"
 Opening Size: 60"W. x 70"H.
 Black-out Style Name/ #: Blackout Lined. Refer to GF-401.5
 Mounting Method: Ceiling Mounted
 Hardware: Hand traverse track system
 Top Treatment Style: Inverted Box Pleat Valance
 Top Treatment Dimensions: 90"W. x 14"H., 14" return
 Panels Style: Pinch Pleat
 Panels Fixed or Operative: Fixed
 Panels Fullness: 225%
 Panels Dimensions: 24" wide, each panel
 Panels Finished Length: 1/2" from finished floor
 Sheers Style: Pinch pleat
 Sheers Fullness: 225%
 Sheers Dimensions: 90"W.
 Sheers Finished Length: 1/2" from finished floor
 Shade Style: Pinch pleat drape, 200% full
 Shade Dimensions: 90"Wx 1/2" from finished floor
 COM/COL: VALANCE: GF-401.1; P. Kaufmann Contract; Pattern: Bhutan; Sepia; 18% FR Polyester, 82% Polyester; ; Width: 54"; Fire Rating: Passes NFPA 701;
 OVERDRAPE/SIDE PANELS: GF-401.2; Fabricut; Pattern: Division; Ecu; 100% Polyester; Repeat: V-3/8"; Width: 59"; Fire Rating: Passes NFPA 701; Durability: 30,000 double rubs;
 BLACKOUT PANELS: GF-401.3; Standard Textile





Project Name: **Hilton Garden Inn 7.0 Grow Prototype** Item Number: **GF-401**
 Project #: **23359.007 7Grow** Item Description: **Window Treatment @ Guest Rooms**
 Issue Date: **11/15/11** Area Name: **Guestrooms**

Item Quantity: ea

Manufacturer: To Bid Source: To Bid

Company; Pattern: 01-09; Palisade; Biscotti; 70% Polyester, 30% Cotton; Repeat: 1" Vert, 1" Horiz; Width: 54"; Fire Rating: Passes NFPA 701; SHEERS: GF-401.4; P. Kaufmann Contract; Pattern: NFP Rhythmics; 001 Porcelain; 100% Polyester; Repeat: V-10.5", H-14.5"; Width: 57"; Fire Rating: Passes NFPA 701; BLACKOUT LINING: GF-401.5; Roc-Lon; Pattern: Budget Blackout FR; Ivory; 70% Polyester / 30% Cotton; ; Width: 54"; Backing: White Aerocelluar Foam; Fire Rating: Passes NFPA 701

Notes: (2) panels make up one unit each of; side panels, black-out drapery and sheers.

Approved Vendors:

Quiltcraft Industires, 1230 East Ledbetter, Dallas, TX 75216
 P: (214) 376-1841, F: (214) 376-1852
 Contact: David Pearson

SK Textile, PO Box 37851 Cincinnati, OH 45222
 P: (800) 888-9112 x 7050 F: (888) 415-0854
 Contact: Joshua Frankel

Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input checked="" type="checkbox"/> Finish Sample	<input type="checkbox"/> Cutting	<input checked="" type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input type="checkbox"/> Flame Certificate
--	-------------------------------------	---	----------------------------------	---	------------------------------------	--

Instructions:

- Provide covered weight in hem for overdrapery and sheer fabrication. All metal parts must be corrosion proof.
- Drapery to be split traversing and shall pull from the center of the window.
- Drapery to be fully lined with sewn-in blackout lining. Lining must be flame retardant and meet all applicable codes.
- All quantity requirements must be verified by on-site measurements taken prior to fabrication.
- Provide Kirsch Architrac hand traverse track system for both drapery and sheer. Black-out drapes and sheers must be on two separate tracks.
- Provide all hardware for complete installation. All carrier hardware to be of ball bearing construction. Overlap at the lead carrier.
- All drapery and sheer to have clear plastic baton with finished end mounted on the face (room side) of drapery. NOTE: Reinforcement for baton to be sewn into drapery heading.
- Drapery Fabricator is responsible for the size and quantity of all hardware to be used.
- All stitching must be overlapped and joined with safety stitching.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces and Hilton Garden Inn standards.
- Draperies must meet Class 1 ASTM E-84 and NFPA 701 Small and Large Scale as required by local and state fire codes for use in hotels.

Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-401.1**

Project #: **23359.007 7Grow**

Item Description: **Fabric @ Guest Room Valance**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: P. Kaufmann Contract
Address: 18403 Springwood Drive
Grayslake IL 60030 United States of America
Phone: (847) 543-8953 800# : (212) 292-2200
Fax: (847) 543-8954 Other: (847) 910-2164
Contact: Leonardo Luciano
E-mail: roadrep@comcast.net
Web: <http://www.pkcontract.com/>

Source: P. Kaufmann Contract
Address: 18403 West Springwood Drive
Grayslake hide 60030-hide hide
Phone:
Fax: 847-543-8954 Mobile: (847) 910-2164
Contact: Leonardo Luciano
E-mail: roadrep@comcast.net
Web: <http://www.pkcontract.com/>

Pattern Name: Bhutan
Color: Sepia
Width: 54"
Content: 18% FR Polyester, 82% Polyester
Fire Rating: Passes NFPA 701



Required Item(s) for Designer Approval Prior to Fabrication:

Seaming Diagram Strike-Off Finish Sample Cutting Shop Dwgs Prototype Flame Certificate

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces & Hilton Garden Inn Standards.



Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-401.2**

Project #: **23359.007 7Grow**

Item Description: **Overdrap Fabric @ Guest Room Drapery Side Panels**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: Fabricut

Source: Fabricut

Address: 9303 East 46th St.
Tulsa OK 74145-

Address: 670 South Grand Avenue
Ft. Thomas KY 41075 United States of America

Phone: (800) 664-5611

Phone: (859) 441-3890 800#: (800) 531-1110
x2844

Fax: (800) 835-9240

Fax: (859) 441-3842

Contact: Jennifer Polay

Contact: Jill Castanien, Contract Specialist

E-mail: jennifer.polay@fabricut.com

E-mail: jcastanien@3z.net

Web: http://www.fabricutcontract.com

Web: http://www.fabricut.com/

Pattern Name: Division

Color: Ecru

Width: 59"

Repeat: V-3/8"

Content: 100% Polyester

Durability: 30,000 double rubs

Fire Rating: Passes NFPA 701

Notes: Side panel fabric to be lined with GF-401.5.



Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input type="checkbox"/> Finish Sample	<input checked="" type="checkbox"/> Cutting	<input type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input checked="" type="checkbox"/> Flame Certificate
--	-------------------------------------	--	---	------------------------------------	------------------------------------	---

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces & Hilton Garden Inn Standards.

Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-401.3**

Project #: **23359.007 7Grow**

Item Description: **Fabric @ Guest Room Operable Blackout Drapes**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: Standard Textile Company

Source: SK Textile

Address: One Knollcrest Drive
Cincinnati OH 45237 United States of America

Address: One Knollcrest Drive
Cincinnati OH 45237-

Phone: (513) 722-8330 800# : (513) 761-9255

Phone: 800#: (800) 888-9112

Fax: (513) 679-3589 Other: (513) 276-3400

Fax:

Contact: Glen Nielsen, Sales Consultant, Decorative Products Division

Contact: Joshua Frankel

E-mail: gnielsen@standardtextile.com

E-mail: jfrankel@sktextile.com

Web: <http://www.standardtextile.com>

Web: sktextile.com

Pattern Number: 01-09

Pattern Name: Palisade

Color: Biscotti

Width: 54"

Repeat: 1" Vert, 1" Horiz

Content: 70% Polyester, 30% Cotton

Fire Rating: Passes NFPA 701



Required Item(s) for Designer Approval Prior to Fabrication:

Seaming Diagram
 Strike-Off
 Finish Sample
 Cutting
 Shop Dwgs
 Prototype
 Flame Certificate

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.

Project Name: **Hilton Garden Inn 7.0 Grow Prototype** Item Number: **GF-401.4**
 Project #: **23359.007 7Grow** Item Description: **Fabric @ Guest Room Operable Sheers**
 Issue Date: **11/15/11** Area Name: **Guestrooms**
 Revision(s):

Item Quantity: yds

Manufacturer:	P. Kaufmann Contract	Source:	P. Kaufmann Contract
Address:	18403 Springwood Drive Grayslake IL 60030 United States of America	Address:	18403 West Springwood Drive Grayslake hide 60030-hide hide
Phone:	(847) 543-8953 800# : (212) 292-2200	Phone:	
Fax:	(847) 543-8954 Other: (847) 910-2164	Fax:	847-543-8954 Mobile: (847) 910-2164
Contact:	Leonardo Luciano	Contact:	Leonardo Luciano
E-mail:	roadrep@comcast.net	E-mail:	roadrep@comcast.net
Web:	http://www.pkcontract.com/	Web:	http://www.pkcontract.com/

Pattern Name: NFP Rhythmics
 Color: 001 Porcelain
 Width: 57"
 Repeat: V-10.5", H-14.5"
 Content: 100% Polyester
 Fire Rating: Passes NFPA 701



Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input type="checkbox"/> Finish Sample	<input checked="" type="checkbox"/> Cutting	<input type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input checked="" type="checkbox"/> Flame Certificate
--	-------------------------------------	--	---	------------------------------------	------------------------------------	---

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials & methods of construction must comply with all local fire & life safety codes for use in hotels & other public spaces & Hilton Garden Inn Standards.



Project Name: **Hilton Garden Inn 7.0 Grow Prototype**

Item Number: **GF-401.5**

Project #: **23359.007 7Grow**

Item Description: **Black Out Fabric @ Drapery Side Panel**

Issue Date: **11/15/11**

Area Name: **Guestrooms**

Revision(s):

Item Quantity: yds

Manufacturer: Roc-Lon

Source: Roc-Lon

Address: Rockland Industries, Inc.
261 Fifth Avenue
New York NY 10016-

Address: 261 Fifth Avenue
New York NY 10016-

Phone: (212) 679-9220 800# : (800) 876-2566

Phone: (763) 425-0561

Fax: (410) 522-2545

Fax:

Contact:

Contact: Pete Swenson

E-mail:

E-mail:

Web: www.roc-lon.com

Web:

Pattern Name: Budget Blackout FR
Color: Ivory
Width: 54"
Content: 70% Polyester / 30% Cotton
Fire Rating: Passes NFPA 701
Backing: White Aerocellular Foam



Required Item(s) for Designer Approval Prior to Fabrication:

<input type="checkbox"/> Seaming Diagram	<input type="checkbox"/> Strike-Off	<input type="checkbox"/> Finish Sample	<input checked="" type="checkbox"/> Cutting	<input type="checkbox"/> Shop Dwgs	<input type="checkbox"/> Prototype	<input checked="" type="checkbox"/> Flame Certificate
--	-------------------------------------	--	---	------------------------------------	------------------------------------	---

Instructions:

- Must be of contract quality and suitable for commercial use.
- Fabric must be treated for soil and stain repellency.
- Quantity must be verified by fabricator.
- Purchasing is responsible for FR treatment when fabric is not in compliance with applicable codes.
- All materials and methods of construction must comply with all local fire and safety codes for use in hotels and other public spaces, and Hilton Garden Inn Standards.